

Interference Search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	1	((first adj clock\$4) same (second adj clock) same (enabl\$4 or read\$4) adj clock same register\$4 same location).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:47
L18	0	((first adj clock\$4) same (second adj clock) same (enabl\$4 or read\$4) adj clock same register\$4 same location same synchron\$8).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:48
L19	7	((first adj clock\$4) same (second adj clock) same (enabl\$4 or read\$4) adj clock same (intermediate or register\$4 or buffer\$4 or location or target or source) same synchron\$8).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:52
L20	1	((first adj clock\$4) same (second adj clock) same (enabl\$4 or read\$4) adj clock same (intermediate or target or source) with (buffer\$4 or memory or register\$4 or location\$4) same synchron\$8).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:52
L21	9	((first adj clock\$4) same (second adj clock) same (enabl\$4 or read\$4) adj clock same (intermediate or target or source or first with second with third or first or second or third) with (buffer\$4 or memory or register\$4 or location\$4) same synchron\$8).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:53

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	155	(375/356,358,372,354,370).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 10:43
L3	124	(375/356,358,372,354,370).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 10:43
L4	84	(375/356,358,372,354,370).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first or second) near4 (memor\$4 or buffer\$4 or register\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 10:44
L5	80	(375/356,358,372,354,370).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first or second) near4 (memor\$4 or buffer\$4 or register\$4) and synchron\$8 with clock\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 11:18
L6	52	(375/356,358,372,354,370).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first or second) near4 (memor\$4 or buffer\$4 or register\$4) and synchron\$8 with second adj4 clock\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 10:45

EAST Search History

L7	52	(375/356,358,372,354,370).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first with second or third or intermediate) near4 (memor\$4 or buffer\$4 or register\$4) and synchron\$8 with clock\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 11:21
L8	3	(370/235,230,298,301).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first or second) near4 (memor\$4 or buffer\$4 or register\$4) and synchron\$8 with clock\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 11:19
L9	0	(455/502).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first or second) near4 (memor\$4 or buffer\$4 or register\$4) and synchron\$8 with clock\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 11:19
L10	98	(365/189.01,189.12,189.04,220).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first or second) near4 (memor\$4 or buffer\$4 or register\$4) and synchron\$8 with clock\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 11:20
L11	111	(713/400).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first or second) near4 (memor\$4 or buffer\$4 or register\$4) and synchron\$8 with clock\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:43

EAST Search History

L12	44	(710/3,5,33,110,310).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first or second) near4 (memor\$4 or buffer\$4 or register\$4) and synchron\$8 with clock\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:00
L13	16	(375/356,358,372,354,370).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first with second) near4 (memor\$4 or buffer\$4 or register\$4) and (third or intermediate) near4 (memory\$4 or buffer\$4 or register\$4) and synchron\$8 with clock\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 11:43
L14	14	(710/3,5,33,110,310).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first or second) near4 (memor\$4 or buffer\$4 or register\$4) and synchron\$8 with second adj clock\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:01
L15	52	(713/400).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first or second) near4 (memor\$4 or buffer\$4 or register\$4) and synchron\$8 with second adj clock\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:43

EAST Search History

L16	8	(713/400).cds. and first adj4 clock and second adj4 clock and (enable or read\$4 or third) adj4 clock and transfer\$4 with data and @ad<="20020102" and (multiple or plurality or target or source or first or second) near4 (memor\$4 or buffer\$4 or register\$4) and synchron\$8 with second adj clock\$4 with (enabl\$4 or read\$4 or third) adj clock	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:46
L17	1	((first adj clock\$4) same (second adj clock) same (enabl\$4 or read\$4) adj clock same register\$4 same location).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:47
L18	0	((first adj clock\$4) same (second adj clock) same (enabl\$4 or read\$4) adj clock same register\$4 same location same synchron\$8).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:48
L19	7	((first adj clock\$4) same (second adj clock) same (enabl\$4 or read\$4) adj clock same (intermediate or register\$4 or buffer\$4 or location or target or source) same synchron\$8).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:52
L20	1	((first adj clock\$4) same (second adj clock) same (enabl\$4 or read\$4) adj clock same (intermediate or target or source) with (buffer\$4 or memory or register\$4 or location\$4) same synchron\$8).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:52
L21	9	((first adj clock\$4) same (second adj clock) same (enabl\$4 or read\$4) adj clock same (intermediate or target or source or first with second with third or first or second or third) with (buffer\$4 or memory or register\$4 or location\$4) same synchron\$8).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 12:53
S1	5595	elastic with buffer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/23 11:56
S2	3703	elastic with buffer\$4 and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/23 11:57

EAST Search History

S3	707	elastic with buffer\$4 and register\$4 and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/24 13:18
S4	125	elastic with buffer\$4 and register\$4 and first adj4 clock and second adj4 clock and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/23 12:08
S5	2	elastic with buffer\$4 same register\$4 same first adj4 clock same second adj4 clock and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/23 11:58
S6	88	elastic with buffer\$4 and (plurality or multiple or intermediate or first with second with third) with register\$4 and first adj4 clock and second adj4 clock and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/23 12:12
S7	75	elastic with buffer\$4 and (plurality or multiple or intermediate or first with second with third) with register\$4 and first adj4 clock and second adj4 clock and (enable or ready or start or detect\$4) with (write\$4 or transfer\$4 or mov\$4) and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/23 13:19
S8	86	elastic with buffer\$4 and (plurality or multiple or intermediate or first with second with third) with register\$4 and first adj4 clock and second adj4 clock and (enable or ready or start or detect\$4) with (write\$4 or transfer\$4 or mov\$4 or signal) and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/23 12:13
S9	87	elastic with buffer\$4 and (plurality or multiple or intermediate or first with second with third) with register\$4 and first adj4 clock and second adj4 clock and (enable or control or ready or start or detect\$4) with (write\$4 or transfer\$4 or mov\$4 or signal) and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/23 12:13

EAST Search History

S10	70	elastic with buffer\$4 and (plurality or multiple or intermediate or first with second with third) with register\$4 and first adj4 clock and second adj4 clock and (enable or ready or start or detect\$4) with (write\$4 or transfer\$4 or mov\$4) and synchroni\$4 with clock\$4 and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/23 13:19
S11	72	elastic with buffer\$4 and (plurality or multiple or intermediate or first with second with third) with register\$4 and first adj4 clock and second adj4 clock and (enable or ready or start or detect\$4) with (write\$4 or transfer\$4 or mov\$4) and synchroni\$8 with clock\$4 and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/23 13:20
S12	470	synchroni\$8 same second adj4 clock same (enable or write\$4 or read\$4) adj4 clock and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/24 13:19
S13	327	(first with second or intermediate or middle or extra or several or plurality or multiple) with (register\$4 or buffer\$4 or memory) and synchroni\$8 same second adj4 clock same (enable or write\$4 or read\$4) adj4 clock and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/24 13:22
S14	187	(first with second or intermediate or middle or extra or several or plurality or multiple) adj4 (register\$4 or buffer\$4 or memory) and synchroni\$8 same second adj4 clock same (enable or write\$4 or read\$4) adj4 clock and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/24 13:23
S15	26	(first with second or intermediate or middle or extra or several or plurality or multiple) adj4 (register\$4 or buffer\$4 or memory) and synchroni\$8 same second adj4 clock same (enable or write\$4 or read\$4) adj4 clock and @ad<="20020102"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/09/26 10:41